

200w Lime Linear LED Lowbay

Features In Brief:

- 1. Energy saving exceeding 50%
- 2. Uniformed light distribution.
- 3. Original Edison chips
- 4. Instant start, no flicking, no humming
- Novbo driver
- 6. >50,000hrs (see website for details)
- 7. 0-10v dimmable as standard
- 8. 140lm per watt



Heathfield LED linear lowbays are designed to replace the traditional metal halide and Sodium types offering an energy saving alternative. Using the best quality materials available we achieve true lifetime claims and low lumen depreciation levels. These fittings considerably lower maintenance and energy cost and are compatible with dimming systems and motion sensors.

Part Number	Colour	Luminous Flux
HLLB200/6000K	6000K	28,000 lm
HLLB200/4000K	4000K	28,000 lm
HLLB200/3000K	3000K	27,000 lm



Lime Linear LED Lowbay Product Features

200w Range

ltem	HLLB200/6000K	HLLB200/4000K	HLLB200/3000K
Input Voltage	240V	240V	240V
Power Consumption	200W	200W	200W
Colour	Daylight	Cool White	Warm White
Colour Temperature	6000k	4000k	3000k
Life Time	>50,000 hrs	>50,000 hrs	>50,000 hrs
Operating Temperature	-30°C to + 40°C	-30°C to + 40°C	-30°C to + 40°C
CRI	80	80	80
Lumen	28,000lm	28,000lm	27,000lm
Certificates	CE, RoHS, FCC, WEEE	CE, RoHS, FCC, WEEE	CE, RoHS, FCC, WEEE
Beam Angle	120°	120°	120°
Weight	5.7kg	5.7kg	5.7kg
IP Rating	IP20	IP20	IP20

Product View



Lime Linear Dimensions

