

Spectrum

Spectrum 3W LED Emergency Open Area Downlight - Non-Maintained - Select Self-Test or Manual Emergency Mode

Part Code: 09030V2

The 3W Spectrum Non Maintained Downlights have a dual colour charge indicator and come complete with a battery pack enclosed in a protective housing. This IP20 rated fixture can be purchased for both Open Area and Corridor applications.

- Selectable Self-Test or Manual Emergency Mode
- Open Area/Corridor versions
- Dual colour charge indicator
- Complete with driver and fire-rated battery pack



5 Year
Guarantee



50/60
Hz



IP20
Rated



220/240
Volts



Spectrum



Product Category Emergency Lighting / Emergency Lighting

Application Open Area Emergency Lighting

Product Warranty 5 Years

EAN 5013588900100

Commodity Code 8513100000


Country of Origin CN

Technical Specification

Watts (W)	3
Equivalent Watts (W)	3
Volts (V)	220/240
Colour Temp (K)	6500
Lumens (lm)	129
Lumens per Watt (lm/W)	43
Candelas (cd)	12
CRI (ra)	70
Frequency (Hz)	50/60
LED Drive Current	500mA
Energy Consumption (kWh/1000h)	3
Life Hours	25000
Switching Cycles	12500
Impact Protection	IK5
IP Rating	IP20

Packaging Information

Height (mm)	29
Width (mm)	30
Depth (mm)	22
Diameter (mm)	42
Downlight Cut Out (mm)	34
Individual Product Weight (kg)	0.18
Single Carton Height (mm)	90
Single Carton Width (mm)	200
Single Carton Depth (mm)	50
Single Carton Weight (kg)	0.2
Individual Volume	0.0009
Outer Box Qty	20
Outer Carton Barcode	09030V2000020
Outer Box Height (mm)	210
Outer Box Width (mm)	380
Outer Box Depth (mm)	230
Outer Box Weight (kg)	4.2
Outer Box Volume	0.01835



Spectrum

Additional Information	
Beam Angle	120°
Power Factor	0.55