

Spectrum

Spectrum 3W LED Self-Test Emergency Open Area/Corridor Downlight - Non-Maintained - Select Self-Test or Manual Emergency Mode

Part Code: 09075V2

The 3W Spectrum Auto Self Test Downlights have a dual colour charge indicator and come complete with a sheathed battery pack. This IP20 rated fixture includes both Open Area and Corridor lenses which are easily interchangeable to suit the application.

- Selectable Self-Test or Manual Emergency Mode
- Dual colour charge indicator, complete with driver and sheathed battery pack
- Open area & corridor lenses included



5 Year
Guarantee



50/60
Hz



IP20
Rated



220/240
Volts



Spectrum



Product Category Emergency Lighting / Emergency Lighting

Application Open Area / Corridor Emergency Lighting

Product Warranty 5 Years

EAN 5013588900049

Commodity Code 8513100000


Country of Origin CN

Technical Specification

Watts (W)	3
Volts (V)	220/240
Colour Temp (K)	6000
Lumens (lm)	189 (Corridor) / 256 (Open Area)
Lumens per Watt (lm/W)	63 (Corridor) / 85 (Open Area)
CRI (ra)	70
Frequency (Hz)	50/60
LED Drive Current	320mA
Energy Consumption (kWh/1000h)	3
Life Hours	35000
Switching Cycles	30000
IP Rating	IP20

Packaging Information

Height (mm)	130-175
Width (mm)	60
Depth (mm)	81-175
Diameter (mm)	60
Downlight Cut Out (mm)	60
Individual Product Weight (kg)	0.21
Single Carton Height (mm)	90
Single Carton Width (mm)	145
Single Carton Depth (mm)	100
Single Carton Weight (kg)	0.26
Individual Volume	0.00131
Outer Box Qty	40
Outer Carton Barcode	09075V2000040
Outer Box Height (mm)	520
Outer Box Width (mm)	310
Outer Box Depth (mm)	380
Outer Box Weight (kg)	11.3
Outer Box Volume	0.06126



Spectrum

Additional Information	
Power Factor	>0.5