

## LED Emergency Bulkhead / Recessed

### Spectrum 3.3W LED IP65 Emergency Bulkhead - Maintained/Non-Maintained - Select Self-Test or Manual Emergency Mode

**Part Code: 09040V2**

Our most popular emergency bulkhead, the 3.3W IP65 bulkhead has a low-profile design and is suitable for both internal & external use. The optional exit blade accessory transforms this Emergency Bulkhead into an IP65 Exit Blade.

- Selectable Self-Test or Manual Emergency Mode
- Low profile slim design
- Long Life
- Low maintenance
- Includes full set of new legends



**IP65**  
Rated



**Long**  
Life Hours



**6500K**  
Colour Temperature



**CRI**  
80



## LED Emergency Bulkhead / Recessed



**Product Category** Emergency Lighting / Emergency Lighting

**Application** Emergency Lighting

**Product Warranty** 5 Years

**EAN** 5013588900063

**Commodity Code** 8513100000


**Country of Origin** CN

### Technical Specification

Watts (W)	3.3
Volts (V)	220/240
Colour Temp (K)	6500
Lumens (lm)	187
Lumens per Watt (lm/W)	57
Candelas (cd)	38
CRI (ra)	80
Frequency (Hz)	50/60
LED Drive Current	300mA
Energy Consumption (kWh/1000h)	4
Life Hours	30000
Switching Cycles	15000
Impact Protection	IK7
IP Rating	IP65

### Packaging Information

Height (mm)	110
Width (mm)	352
Depth (mm)	60
Individual Product Weight (kg)	0.52
Single Carton Height (mm)	120
Single Carton Width (mm)	65
Single Carton Depth (mm)	358
Single Carton Weight (kg)	0.58
Individual Volume	0.00279
Inner Carton Barcode	09040V2000002
Outer Box Qty	12
Outer Carton Barcode	09040V2000012
Outer Box Height (mm)	410
Outer Box Width (mm)	375
Outer Box Depth (mm)	255
Outer Box Weight (kg)	7.7
Outer Box Volume	0.03921
Plastic Packaging Weight (kg)	0.01



## LED Emergency Bulkhead / Recessed

### Additional Information

Beam Angle	120°
Power Factor	0.65

### Accessories

09041	Semi Recessing Kit for the Spectrum LED Emergency Bulkhead
09041V2	Recessing Kit for 3.3W Spectrum Bulkhead (09040V2)