

OMNI FILAMENT CANDLE BULB B22 250LM 2.0W 2700K NON-DIMM 320 BEAM INTEGRAL

ILCANDB22NC002



This cutting edge A++, 2W retro-fit Integral LED Candle (large bayonet base) from the Omni-Lamp range delivers a warm white light and brightness, similar to a 25W filament bulb. It has the appearance, feel and weight of a traditional light bulb. Featuring an LED filament, which enables a super-wide 300 degree beam angle. A decorative lamp ideal for living rooms, dining rooms, bedrooms and hotels, in classic or modern wall or floor/table lamp fittings and chandeliers.

Details

Barcode:	5055788210894
Quick Order Code:	544935
Category:	Lamps
Range Name:	Omni
Product Type:	Candle
Warranty (Years):	2
CE RoHS:	Yes

Physical Data

Product Length (mm):	93
Product Width (mm):	35
Product Weight (g):	13
Material:	Glass
Base Term:	Bayonet cap
Bulb Base:	B22
Globe Finish:	Clear
Globe Type:	Candle
Bulb Fixing:	Pendant, Chandelier, Wall
Bulb or Luminaire Shape:	Oval

Electrical Data

Power (W):	2
Power Consumption (W) :	2
Power Factor:	0.45
Voltage Range (v):	220-240
Wattage equivalent (W):	25



Amperage (mA):	19
Dimming:	Non-Dimmable
Driver Included:	Yes
Electric Current:	AC
EN:	EN-62560
LVD Certified:	Yes

Light Data

Luminous Flux in Lumens (lm):	250
Luminous efficacy (lm/W):	125
Correlated Colour Temperature (CCT) (K):	2700
Colour Temperature:	2700K - Warm
Colour Temperature Name:	Warm
Beam Angle:	300
Colour Rendering Index (CRI):	80
Frequency Range (Hz):	50
Instant on (Less than 1 second):	Yes
LED Type:	Filament chip
Lifetime (hours):	15000
Switching Cycles:	50000

Environment

EN:	EN-62560
LVD Certified:	Yes
CE RoHS:	Yes
Previous Energy Rating:	A++
New Energy Rating:	E
Hg 0% (Mercury Free):	Yes
IP Rating (Ingress Protection):	IP20
Lowest Operating Temperature (°C):	-20
Maximum Operating Temperature (°C):	40



Packaging

[Portal.integral-led.com](https://portal.integral-led.com)

Package Weight (g): 28

Product Design And Specification Subject To Change Or Modification Without Notice. Image For Illustration Only. E&OE

Package Length (mm):	120
Package Width (mm):	40
Package Depth (mm):	40
Qty per euro pallet:	2800