

Genesis

Genesis 4.4W LED Dimmable GU10 - 4000K

Part Code: 60675

The Genesis GU10 is our newest addition to the GU10 range. This 4.4W GU10 is available as Non-Dimmable and Dimmable in 3 colour temperatures. The Genesis GU10 offers sleek aesthetics and is destined to be one of our best all-purpose GU10's, suitable for multiple applications.

- Energy saving benefits of LED
- Rimless lens for improved aesthetics
- True fit GU10 size
- Suitable for fire rated and IP rated fixtures
- 38° Beam angle









Colour Rendering Index





Email: technical@belllighting.co.uk **Telephone:** 01924 893380

www.belllighting.co.uk

BELLlighting

Genesis



ApplicationGenesis LampsProduct Warranty2 YearsEAN5013588606750Commodity Code8539520000	
EAN 5013588606750	
Commodity Code 8539520000	
Country of Origin CN	

Technical Specification		
Watts (W)	4.4	
Equivalent Watts (W)	40	
Volts (V)	220/240	
Colour Temp (K)	4000	
Lumens (lm)	350	
Lumens per Watt (lm/W)	80	
Candelas (cd)	630	
CRI (ra)	85	
Frequency (Hz)	50/60	
LED Drive Current	13mA	
Energy Consumption (kWh/1000h)	5	
Life Hours	15000	
Switching Cycles	7500	
Energy Rating	E	

Packaging	Information
Height (mm)	54
Width (mm)	50
Diameter (mm)	50
Individual Product Weight (kg)	0.043
Single Carton Height (mm)	62
Single Carton Width (mm)	51
Single Carton Depth (mm)	51
Single Carton Weight (kg)	0.052
Individual Volume	0.00016
Inner Box Qty	10
Inner Carton Barcode	606750000010
Inner Box Height (mm)	77
Inner Box Width (mm)	112
Inner Box Depth (mm)	270
Inner Box Weight (kg)	0.58466
Inner Box Volume	0.00233
Outer Box Qty	50
Outer Carton Barcode	6067500000050
Outer Box Height (mm)	95
Outer Box Width (mm)	278
Outer Box Depth (mm)	585
Outer Box Weight (kg)	3.17711
Outer Box Volume	0.01545

Email: technical@belllighting.co.uk **Telephone:** 01924 893380

www.belllighting.co.uk

BELLlighting

Genesis

Additional Information		
Beam Angle	38°	
Flicker (SVM)	<0.4	
Power Factor	0.8	
Сар	GU10	

Email: technical@belllighting.co.uk **Telephone:** 01924 893380

www.belllighting.co.uk